

Arete

Sample: 11-20-2023-41924

Sample Received: 11/20/2023;

Report Created: 07/11/2024; Expires: 11/26/2024

Sour Diesel Hash Rosin  
Concentrate & Extracts



**64.823 %**

Total THC

**0.223 %**

Δ-9 THC

**80.459 %**

Total Cannabinoids

**<LOQ %**

Total CBD

## Cannabinoids

Complete

(Testing Method: HPLC, CON-P-3000)

Date Tested: 11/20/2023

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8-THC)	0.0943	0.1415	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9-THC)	0.0943	0.1415	0.223	2.230	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0943	0.1415	73.660	736.604	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0943	0.1415	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0943	0.1415	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (R-Δ-9-THCVA)	0.0943	0.1415	0.263	2.632	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0943	0.1415	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0943	0.1415	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0943	0.1415	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0943	0.1415	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0943	0.1415	ND	ND	
Cannabidivarin (CBDV)	0.0943	0.1415	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0943	0.1415	ND	ND	
Cannabidiol (CBD)	0.0943	0.1415	ND	ND	
Cannabidiolic Acid (CBDA)	0.0943	0.1415	<LOQ	<LOQ	
Cannabigerol (CBG)	0.0943	0.1415	0.168	1.683	
Cannabigerolic Acid (CBGA)	0.0943	0.1415	4.906	49.064	
Cannabinol (CBN)	0.0943	0.1415	ND	ND	
Cannabinolic Acid (CBNA)	0.0943	0.1415	ND	ND	
Cannabichromene (CBC)	0.0943	0.1415	ND	ND	
Cannabichromenic Acid (CBCA)	0.0943	0.1415	1.237	12.374	
<b>Total</b>			<b>80.459</b>	<b>804.587</b>	

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%  
Total CBD Measurement of Uncertainty: ± 2.000%  
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs  
6121 Heritage Park Drive, A500  
Chattanooga, TN 37416  
(844) 837-8223  
TN DEA#: RN0563975  
ANAB Testing Laboratory (AT-2868): ISO/IEC  
17025:2017

*Ashley N Phillips*

Ashley N. Phillips, M. Sc  
Laboratory Director

Powered by  
reLIMS  
info@relims.com